#### MATERIAL SAFETY DATA SHEET \_\_\_\_\_

EUCALYPTUS FRAGRANCE AWFO22 Page 1(5)

Date: 01/07/11

MSDS Revision: 01 Date created: 01/05/11

1. Identification of the substance/preparation and company \_\_\_\_\_

Product name : EUCALYPTUS FRAGRANCE AWFO22
Company name : ANCIENT WISDOM MARKETING LTD
Company address : BLOCK B, PARKWOOD BUSINESS PARK

75 PARKWOOD ROAD

SHEFFIELD

SOUTH YORKSHIRE, UK.

S3 8AL

Emergency phone : +44 (0)114 2729165 : +44 (0)114 2706571 Fax

2. Hazards identification -----

: When undiluted and not properly handled, can be General

irritating to the skin and eyes and upon inhalation.

Combustible material that can sustain a fire.

Hazard symbol : Xi, Irritant.

: N, Dangerous for the environment.

Risk phrases : R10, Flammable.

: R43, May cause sensitisation by skin contact.

: R51/53, Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Environment : When spilled, can contaminate soil, ground and

surface water.

Page 2(5)

### MATERIAL SAFETY DATA SHEET

EUCALYPTUS FRAGRANCE AWFO22

Date: 01/07/11
MSDS Revision: 01
Date created: 01/05/11

### 3.Composition/information on ingredients

Chemical identification: Fragrance

composition: multicomponent mixture of aromatic

materials.

CAS number : Not applicable, product is a mixture. EINECS number : Not applicable, product is a mixture.

Contains	CAS/EINECS	Hazard Symbols	Conc%
EUCALYPTOL	470-82-6 /207-431-5	R 10	25-50
(S)-P-MENTHA-1,8-DIENE	5989-54-8 /227-815-6	Xi-N; R 10-38-43-50/53	1.25-5
GAMMA TERPINENE	99-85-4 /202-794-6	Xn; R 10-65	1.25-5
PIN-2(3)-ENE	80-56-8 /201-291-9	Xn-N; R 10-43-50/53-65	1.25-5
P-CYMENE	99-87-6 /202-796-7	Xn-N; R 10-51/53-65	<1.25
BETA PINENE	127-91-3 /204-872-5	Xn-N; R 10-43-50/53-65	<1.25
TERPINOLENE	586-62-9 /209-578-0	Xn-N; R 10-51/53-65	<1.25

Ingredients with an Occupational Exposure Limit
DIETHYL PHTHALATE CAS:84-66-2 EINECS:201-550-6 (>10%)

Allergen Listing. Limonene (4.0000%) Linalool (0.0750%)

#### MATERIAL SAFETY DATA SHEET \_\_\_\_\_

EUCALYPTUS FRAGRANCE AWFO22 Page 3(5)

Date: 01/07/11 Date created: 23/02/11 MSDS Revision: 01

4.First-aid measures -----

: Remove from exposure site to fresh air, keep at rest,

and obtain medical attention.

: Flush immediately with water for at least 15 minutes. Eye exposure

Contact physician if symptoms persist.

Skin exposure : Remove contaminated clothes. Wash thoroughly with

soap and water. Contact physician if irritation

persists.

Ingestion : Rinse mouth with water and obtain medical attention.

Others : Take Risk and Safety phrases (section 15) into

consideration.

\_\_\_\_\_ 5.Fire-fighting-measures

Extinguishing : Carbon dioxide, dry chemical, foam.

media Do not use a direct water-jet on burning material.

6.Accidental release measures -----

Personal : Avoid inhalation and contact with skin and eyes. A precautions

self-contained breathing apparatus is recommended in

case of a major spill.

Spillage : Remove ignition sources. Provide adequate

ventilation. Avoid excessive inhalation of vapours. Gross spillage should be contained immediately by use of sand or inert powder and disposed of according to

local regulations.

Environmental : Keep away from drains, surface and ground water, and

precautions soil.

7. Handling and storage -----

: Apply according to good manufacturing and industrial Handling

> hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good

personal hygiene.

: Store in a cool, dry and ventilated area away from Storage

heat sources and protected from light in tightly closed original containers. Avoid plastic and uncoated metal containers. Keep air contact to a

minimum.

Fire : Keep away from ignition sources and naked flame.

protection

8.Exposure controls/personal protection -----

Respiratory : Avoid excessive inhalation of concentrated vapours.

protection

Eye protection : Wear safety glasses. Skin protection : Avoid skin contact. : Avoid skin contact. Use chemically resistant gloves

as needed.

### MATERIAL SAFETY DATA SHEET

\_\_\_\_\_ EUCALYPTUS FRAGRANCE AWFO22 Page 4(5) Date: 01/07/11 MSDS Revision: 01 Date created: 23/02/11 9. Physical and chemical properties ----Appearance : Colourless Liquid pH-value : Not determined.
Viscosity : Not determined. PH-value

Viscosity

Freezing point

Boiling point

Melting point

Flash point

Flash point

Explosive property

Oxidising property

Vapour pressure

Relative density

Solubility water

Solubility ethanol

Partition coeff.

Refractive index

Not determined.

Not determined. 10. Stability and reactivity -----Reactivity : Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidising agents. Decomposition : Carbon monoxide and unidentified organic compounds may be formed during combustion. 11. Toxicological information -----Based on the ingredients in this composition and their concentrations, this product is according to the conventional method of EEC directive 1999/45/EC classified as: May cause sensitisation by skin contact. 12. Ecological information -----General : This material is unlikely to accumulate in the environment and environmental problems under normal use conditions are unexpected.

13. Disposal considerations -----Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.

### MATERIAL SAFETY DATA SHEET

EUCALYPTUS FRAGRANCE AWFO22 Page 5(5)

Date: 01/07/11

MSDS Revision: 01 Date created: 23/02/11

14. Transport information

-----

Class Pack group Sub risk UN no IMDG page Road (CDGRR) : 9 III UN3082 Air (IATA) : 9 III UN3082 Sea (IMDG) : 9 III UN3082

Hazard symbol : Xi, Irritant.

: N, Dangerous for the environment.

Contains

Risk phrases : R10, Flammable.

: R43, May cause sensitisation by skin contact.

: R51/53, Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Safety phrases : S24, Avoid contact with the skin.

: S37, Wear suitable gloves.

: S61, Avoid release to the environment. Refer to special

instructions/safety data sheet.

16.Other information -----

Conc % Limits (\*) : XiR43=19.99% NR51/53=71.38% R52/53=7.14% IFRACLS01=N/

A IFRACLS02=3.714% IFRACLS03.A=14.286% IFRACLS03.B=14.286% IFRACLS03.C=14.286% IFRACLS03.D=14.286% IFRACLS04.A=45.714% IFRACLS04.B=45.714% IFRACLS04.C=45.714%

IFRACLS04.D=45.714% IFRACLS05=22.857% IFRACLS06=N/A

IFRACLS07.A=8.571% IFRACLS07.B=8.571% IFRACLS08.A=39.987% IFRACLS08.B=39.987% IFRACLS09.A=99.968% IFRACLS09.C=99.968% IFRACLS10.A=49.984% IFRACLS10.B=49.984% IFRACLS11.A=100.000%

IFRACLS11.B=100.000%

(\*) These are the maximum percent concentrations that this material can be used in a non-hazardous product without the indicated risk being applicable to that product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.