MATERIAL SAFETY DATA SHEET

VANILLA 102956 Page 1(4)

Date: 22 March 2011

MSDS Revision: 04 Date created: 25/02/11

1. Identification of the substance/preparation and company

Product name : VANILLA 102956
Company name : ANCIENT WISDOM MARKETING LTD Company address : BLOCK B, PARKWOOD BUSINESS PARK

75 PARKWOOD ROAD

SHEFFIELD

SOUTH YORKSHIRE, UK.

S3 8AL

Emergency phone : +44 (0)114 2729165 : +44 (0)114 2706571 Fax

2. Hazards identification -----

: When undiluted and not properly handled, can be irritating

to the skin and eyes and upon excessive inhalation.

Combustible material that can sustain fire.

Hazard symbol : Xi, Irritant.

Risk phrases : R43, May cause sensitisation by skin contact.

Environment : When spilled, can contaminate soil, ground and surface

water.

3.Composition/information on ingredients -----

Chemical : Composition: multicomponent mixture of natural and/or

identification
CAS number
EINECS number

synthetic raw materials.
: Not applicable, product is a mixture.
: Not applicable, product is a mixture.

Contains CAS/EINECS Hazard Symbols Conc% (L) VANILLIN 121-33-5 Xi; R 43 8.0

/204-465-2

Ingredients with an Occupational Exposure Limit DIETHYL PHTHALATE CAS:84-66-2 EINECS:201-550-6 (>10%)

Total allergen content: BENZYL BENZOATE (0.0032%) BENZYL CINNAMATE (0.0128%)

COUMARIN (0.8000%)

MATERIAL SAFETY DATA SHEET

VANILLA 102956 Page 2(4)

Date: 22 March 2011 MSDS Revision: 04 Date created: 25/02/11

4.First-aid measures -----

Inhalation : Upon excessive inhalation, remove from exposure site to

fresh air, keep at rest, and obtain medical attention.

: Flush immediately with water for at least 15 minutes. Eye exposure

Contact physician if symptoms persist.

Skin exposure : Remove contaminated clothes. Wash thoroughly with soap and

water. Contact physician if irritation persists.

: Rinse mouth with water and obtain medical attention. Ingestion

: Take Risk and Safety phrases (section 15) into Others

consideration.

5. Fire-fighting measures -----

Extinguishing : Carbon dioxide, dry chemical, foam.

media Do not use a direct water-jet on burning material.

6.Accidental release measures -----

Avoid excessive inhalation and contact with skin and eyes.

A self-contained breathing apparatus is recommended in

case of a major spill.

Spillage : Remove ignition sources. Provide adequate ventilation.

Avoid excessive inhalation of vapours. Gross spillage should be contained immediately by use of sand or inert powder and disposed of according to local regulations.

Environmental

: Keep away from drains, surface and ground water, and soil.

precautions

precautions

7. Handling and storage -----

: Apply according to good manufacturing and industrial Handling

hygiene practices with proper ventilation. Do not drink,

eat or smoke while handling. Respect good personal

hygiene.

: Store in a cool, dry and ventilated area away from heat Storage

sources and protected from light in tightly closed original containers. Avoid uncoated metal containers.

Keep air contact to a minimum.

Fire : Keep away from ignition sources and naked flame.

protection

MATERIAL SAFETY DATA SHEET

VANILLA 102956 Page 3(4)

Date: 22 March 2011

MSDS Revision: 04 Date created: 25/02/11

8. Exposure controls/personal protection -----

Respiratory : Avoid excessive inhalation of concentrated vapours.

protection

Eye protection : Wear safety glasses.

Skin protection : Avoid skin contact. Use chemically resistant gloves as

needed.

9. Physical and chemical properties -----

Appearance : Clear pale yellow to brown liquid Flash point : >100 degC (CC)

10. Stability and reactivity -----

Reactivity : Presents no significant reactivity hazard, by itself or in

contact with water. Avoid contact with strong acids,

alkali or oxidising agents.

Decomposition : Carbon monoxide and unidentified organic compounds may be

formed during combustion.

11. Toxicological information -----

Based on the ingredients in this composition and their concentrations, this product is according to the conventional method of EEC directive 88/379/EEC

classified as:

May cause sensitisation by skin contact.

12. Ecological information -----

: This material is unlikely to accumulate in the environment

and environmental problems under normal use conditions are

unexpected.

13. Disposal considerations -----

Dispose of according to local regulations. Avoid disposing into

drainage systems and into the environment.

14. Transport information

Class Pack Group Sub risk UN no IMDG page

Road (ADR/CDGRR) : not restricted. Air (IATA) : not restricted. Sea (IMDG) : not restricted.

Proper Shipping Name :

MATERIAL SAFETY DATA SHEET

VANILLA 102956 Page 4(4)

Date: 22 March 2011 MSDS Revision: 04

Date created: 25/02/11

Hazard symbol : Xi, Irritant.

Contains VANILLIN.

Risk phrases : R43, May cause sensitisation by skin contact.

Safety phrases : S24, Avoid contact with the skin.

: S37, Wear suitable gloves.

16.Other information -----

Conc % Limits(*) : XiR43=12.50% IFRACLS01=N/A IFRACLS02=16.250%

IFRACLS07.B=37.500% IFRACLS08.A=100.000% IFRACLS08.B=100.000% IFRACLS09.A=100.000% IFRACLS09.B=100.000% IFRACLS10.A=100.000% IFRACLS10.B=100.000% IFRACLS11.A=100.000% IFRACLS11.B=100.000%

The Label, Risk and Safety Phrases assigned to this material may have changed since the last version of this Safety Data Sheet. Please check sections 3, 11 and 15.

The Concentration Limits for the hazards of this material may have changed since the last version of this Safety Data Sheet. Please check section 16. (*) These are the maximum percent concentrations that this material can be used in a non-hazardous product without the indicated risk being applicable to that product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.